



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/825,582	04/03/2001	Steven R. Reznick	00141	9948

7590 01/07/2004

William F. Dee, Esq.  
CABOT CORPORATION  
Law Department  
157 Concord Road  
Billerica, MA 01821

EXAMINER

WINTER, GENTLE E

ART UNIT PAPER NUMBER

1746

DATE MAILED: 01/07/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/825,582

Applicant(s)

REZNEK, STEVEN R.

Examiner

Gentle E. Winter

Art Unit

1746

*[Handwritten signature]*

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 21 November 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-34 is/are pending in the application.
- 4a) Of the above claim(s) 5,6,15,16 and 30-34 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☐ Claim(s) 1-4,7-14 and 17-29 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.  
a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

## Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_ 6) ☐ Other: \_\_\_\_\_

## **DETAILED ACTION**

### ***Election/Restrictions***

1. Applicant requested withdrawal of the currently pending restriction requirement as not presenting an unreasonable burden on the Examiner. The requirement will not be withdrawn at this time because the manner in which an apparatus is made will be accorded little patentable weight and as such, the underlying structure will need to be discovered. Searching for the same does present an undue burden.

### ***Claim Rejections - 35 USC § 102 Withdrawn and Maintained***

2. Applicant correctly pointed out that Reznick does not qualify as prior art under 35 U.S.C. §102(b). As such, the rejection is withdrawn.

3. Applicant argued Ullman's Encyclopedia of Industrial Chemistry is non-analogous art. The argument is irrelevant and immaterial. Even if the argument were accepted, the argument is not a proper means for overcoming the pending rejection. Applicant further argues that the "As the Examiner should be well aware, the preamble of a claim can limit the scope of the claim if preamble provides additional structural limitations to the claim". The propriety of the remark will not be addressed here. Apparatus limitations in process claims, unless they affect the process in a manipulative sense, are accorded little or no patentable weight in process claims. *In re Tarczy-Hornoch* 158 USPQ 141, 150 (CCPA 1968); *In re Edwards* 128 USPQ 387 (CCPA 1961); *Stalego v. Heymes* 120 USPQ 473, 478 (CCPA 1959); *Ex parte Hart* 117 USPQ

Art Unit: 1746

193 (PO BdPatApp 1957); *In re Freeman* 44 USPQ 116 (CCPA 1940); *In re Sweeney* 72 USPQ 501 CCPA 1947).

4. Applicant argued that Mayer fails to teach any source of fuel, and fails to teach that the pyrolizable material includes coal, and applicant concludes by indicating that the inherency argument is not supported in Mayer. The arguments are not persuasive. Claim 1 does not require a fuel, it is an optional component, and coal, appearing in claim 3, was not rejected using Mayer. Applicant states the Examiner's assumptions that the method of the claimed invention will inherently form the same product. Applicant does not appear to advance arguments that this line of reasoning is flawed, but appears to obliquely make such an argument. If the same method steps produce a different result Applicant's claims are subject to a proper rejection for failing to comply with 35 U.S.C. § 112 first paragraph.

***Claim Rejections - 35 USC § 102-Maintained***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claim 1-4, 7-14, and 17-29 are rejected under 35 U.S.C. 102(b) as being anticipated Ullman's Encyclopedia of Industrial Chemistry. (Ullman).

6. As to claims 1 and 10, disclosing a method of making carbon foam comprising pyrolyzing a mixture in the presence of at least one oxidizing source. Foam is construed in light of the specification. Page 126 in column 2 of Ullman discloses the formation of carbon foam (activated carbon). The oxidizing source is disclosed as oxygen. Applicant has failed to distinguish the method of Ullman from the claimed method. The argument: "Carbon foam includes cell structures (bubble like structures) within the carbon. In contrast, an activated carbon does not include cell structures present in a carbon foam." The argument is more appropriately drawn to the foam than the method. Applicant does not argue that Ullman discloses the method, but argues that the different result is obtained. This may in fact be the case, however the method steps are disclosed. Arguments that a different result is obtained raise the specter of a lack of enablement rejection under 35 U.S.C. § 112 first paragraph for failure to disclose a step critical to the practice of the invention.

7. As to claims 2, 3, and 4 disclosing that a fuel source is present and that the pyrolyzable substance comprises coal, the indicated passage discloses coal and the coal serves as the fuel source.

8. As to claims 7, 8, and 9 disclosing that the fuel source is gaseous, the coal produces carbon dioxide (1000C) which is flammable and gaseous and a natural gas. The coal inherently contains hydrocarbons. The same is disclosed by Ullman see e.g. page 128 section 4.2.3.

Art Unit: 1746

9. As to claims 18 and 19, disclosing that the at least pyrolizable material is introduced by being dispersed in a carrier stream. The same is disclosed at 4.2.1 page 127 starting at first paragraph of the first column, disclosing that in the production of activated carbon numerous different systems may be employed including fluidized bed reactors. Ullman goes on to disclose particle size is a factor that is determinative in system selection. Page 126 also talks about pneumatic delivery, and the need for an inert environment.

10. As to claim 11, disclosing that the oxidizing material is present in an amount which is between 0.05 and 0.75 of the amount needed to combust completely the pyrolizable material and fuel; and the fuel is present in an amount such that its complete combustion consumes between 0 and 100% of the oxidizable material. Since the complete combustion of the may consume between 0 and 100% of the oxidizable material, and since the oxidizing material is present in an amount which is between 0.05 and 0.75 of the amount needed to combust completely the pyrolizable material and fuel, it follows that figure 21, disclosing oxygen in concentrations between about 0.5% and about 0.75 percent, properly anticipates that claim.

11. However, it has been construed in light of page 4 line 21 *et seq.* of the specification. That paragraph discloses that the oxidizing source should be sufficient to at least partially combust the fuel but the amount of oxidizing source should be controlled such that the pyrolizable material does not completely combust or burn the pyrolizable material. The amount of oxidizing material needed is in the range of 0.05 to 0.75 of the

Art Unit: 1746

theoretical amount needed to completely burn all of the fuel and combustible material. In the case where a separate fuel is used, the amount of fuel is such that the fuel combustion consumes between 0 and 100% of the oxidizing material. Seemingly, if the fuel consumes 0% it is no longer fuel. Is there another explanation?

12. As to claim 12, disclosing that the pyrolizable material, fuel source when present, and oxidizing source are introduced sequentially in any order. Ullman discloses an order in the reference see e.g. 4.2.4.2 page 131, as such the claim limitation is met.

13. As to claim 13, disclosing that the pyrolizable material, fuel source, and oxidizing source are added as a mixture, Ullman discloses at 4.1 page 125 that the activated carbon includes not only carbon but also small amounts of oxygen and hydrogen. Ullman goes on to disclose that the materials “are sometimes derived from the raw material” or they can be formed during or after the activation process by the action of air or water vapor. Thereafter Ullman further goes on to enumerate a situation where water might be added to the carbon in a pretreatment step.

14. As to claim 14, disclosing that at least one pyrolizable material is introduced into a combustion chamber by being dispersed in said fuel source when present or said oxidizing source or both. Throughout the literature and in Ullman, the pyrolizable material is disclosed to serve in a dual role, fuel source and pyrolizable material see e.g. 4.2.3 on page 128. Also see comments with respect to claim 13 above.

15. As to claim 17, further limiting claim 2 and disclosing that the fuel source and said oxidizing source are introduced into a combustion chamber prior the introduction of at least one pyrolizable material and wherein said fuel source and oxidizing source are ignited prior to introducing said at least one pyrolizable material into said chamber. The rotary kiln of figure 23, and relevant associated text in Ullman disclose that the steam, gas, and air are fed into the kiln and the ignition occurs within the kiln. The carbon is added to the hot kiln and is gradually moved from the coal inlet to the activated carbon outlet. Thus, the pyrolizable material is added after the fuel source and said oxidizing source.

16. As to claim 18, disclosing that at least pyrolizable material is introduced by being dispersed in a carrier stream. This technique is inherent in the fluidized bed furnace disclosed by Ullman in figure 25 and relevant associated text. The dispersion of the powdered carbon can be readily prepared by metering powdered coal and required solvent into a suitable vessel equipped with mixing means and stirring the mixture until a uniform suspension is obtained. The resulting suspension is thereafter conveyed to the furnace by pumping. The activating gases are disclosed to introduced into the spaces between the fluidized layers and, more importantly into the circulatory system. See page 130 first full paragraph.

17. As to claims 19 and 20, further limiting claim 18 and disclosing that the carrier stream is an inert gas. The specification refers to a "neutral gas", Ullman refers to an "oxygen free gas" which is contextually inert. See e.g. 4.2.5 on page 132. Ullman also



Art Unit: 1746

disclose a first step using *inter alia* an oxygen containing gas. See page 130 first full paragraph and discussion with respect to claim 18 above.

18. As to claims 21, disclosing that said pyrolyzing occurs at a temperature from about 300C to about 1600C. As an initial matter this is a fact that could be Officially noticed, nonetheless 4.2.1 under the subheading discloses 800-1000C, additional temperature ranges are disclosed in figure 24. Under section 4.2.4.2 beginning on page 131 a carrier gas is disclosed. The carrier gas is disclosed as a "mild oxidizing agent". Further on the reference discloses utilizing oxygen and air to aid in the gas activation.

19. As to claims 22 and 23, disclosing the carbon foam formed by claims 1 and 2, since the same steps are disclosed, inherently the same product would result.

20. As to claim 24, 25, and 26, further limiting claim 22, and disclosing that the carbon form having cells bordered by thin sheets, windows, struts, or combinations thereof. As an initial matter it is assumed applicant intended "foam" not "form", further it is presumed, because the claim was not corrected, that applicant failed to note the tacit request to clarify the issue. The foam cells, inherently have a relatively large surface area per given volume, usually order 1000 m<sup>2</sup>/gram. Inherent in such large surface areas are "thin sheets" and openings between the cells etc. The structure results from many well documented phenomena including carbon source. See e.g. page 131, column 2, last full paragraph.

21. As to claims 27 and 28 further limiting claim 22 and disclosing that the carbon foam is a “thermal insulating material.” The material properties of the foam are, of necessity, identical. Consequently the disclosed resulting product is similarly a “thermal insulating material” and is rigid. See page 127, first paragraph, disclosing that the finished product may take many forms including “molded shapes.”

22. As to claim 29 further limiting claim 22 and disclosing a polymer compound including the carbon foam, or fragments thereof. The same is disclosed at 4.2.6. disclosing that the activated carbon powder is used in mineral oil, which is polymeric in the sense of repeating units.

23. Claim 1, 2, 4, 10, 12, and 21-28 are rejected under 35 U.S.C. 102(b) as being anticipated by United States Patent No. 5,908,896 to Mayer et al.

24. As to claim 1, disclosing a method of making carbon foam comprising pyrolyzing a mixture comprising at least one pyrolyzable material in the presence of at least one oxidizing source. Mayer, in claim 5, discloses pyrolyzing a pyrolyzable material in an oxidizing atmosphere.

25. As to claim 2, disclosing least one fuel source, other than said pyrolyzable material is present. This limitation is met as soon as the pyrolyzable material is heated between 500-3000C and CO along with other volatiles are vaporized.

26. As to claim 4, disclosing that the pyrolizable substance is an organic compound, claim 5 of Mayer is drawn to an “organic” microsphere. It is noted that there may be enablement issues related to claim 1 of the instant invention is something other than an organic compound is contemplated. Clarification is, once again, cordially requested.

27. As to claim 10, disclosing that the oxidizing source is air, oxygen, or both, the same is disclosed at see e.g. column 5, line 4 *et seq.*

28. As to claim 12, disclosing that the pyrolizable material, fuel source when present, and oxidizing source are introduced sequentially in any order. See e.g. column 5, line 1 *et seq.* discloses that the gas flows over the microspheres.

29. As to claim 21, disclosing that the pyrolyzing occurs at a temperature of from about 300C to about 1600C. Mayer at see e.g. column 5, line 1 *et seq.* discloses 600-1200C.

30. As to claims 22 and 23, claiming the carbon foam formed by the method of claim 1. Since the method is anticipated, and has the same steps, the same product will inherently result. If the argument is made that the process produces a different product applicant may differentiate the claim by reciting an additional step in the independent claim.

31. As to claims 24 and 25 further limiting claims 22 and 23 respectively, and claiming that carbon the form [foam] has cells bordered by thin sheets, windows, struts, or combinations thereof. The same is inherent in Mayer, see discussion above.

32. As to claim 26, further limiting claim 22 claiming that the cells have openings between them. Again this is inherent in the activated carbon claimed. See e.g. column 6, line 40 *et seq.*

33. As to claim 27, disclosing that the carbon foam of claim 22 is rigid. The property follows from the method. Additionally, the beads are used as supports see e.g. column 8, lines 13-50.

34. As to claim 28, the thermal insulating properties are material properties imparted by the production steps.

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

United States Patent No. 5,932,185 to Pekala et al. is considered substantially cumulative with Mayer addressed above. It is noted that electrodes are disclosed in this reference.

United States Patent No. 5,300,272 to Simanl discloses a method of making carbon foam and discloses that the same includes a "well interconnected strut morphology" that provides "open porosity."

United States Patent No. 5,476,878 to Pekala discloses an aerogel (carbon foam) having many of the claimed material properties including thermal insulation, and carbon electrodes for energy storage devices, such as batteries and double-layer capacitors.

United States Patent No. 5,945,084 to Droege discloses carbon foams and methods of preparation. The methods include methods which would support 102 and 103 rejections on several of the pending claims. Specifically pyrolysis of an organic polymer under inert atmosphere such as N<sub>2</sub> or argon is disclosed. Droege also discloses that the foam has good electrical conductivity, and that "carbon foams have found wide utility in electrode applications such as energy storage devices (e.g., capacitors and batteries) fuel cells, and electrocapacitive deionization devices. See, for example, Pekala et al., 1995a; Mayer et al., 1994, 1995b, 1995c, 1996, 1997; and Kashmitter et al., 1993 1996. Carbon foams have also found utility in variety of other applications.

United States Patent No. 6,033,506 to Klett discloses additional uses for the carbon foams.

The various patents disclose that the phrase "high temperature activation process" refers to a high temperature process that typically results in changes in surface area, porosity

Art Unit: 1746

and surface chemistry of the treated material due to pyrolysis and/or oxidation of the starting material.

Further, the prior art discloses that in fluidized bed processes, finely divided particulates are suspended or levitated by a moving gas or liquid. The process gas moves and separates the particles and, upon heating, pyrolytic carbon is formed.

***Conclusion***

1. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Gentle E. Winter  
Examiner  
Art Unit 1746

December 30, 2003

*Zeinab El-Arini*

**ZEINAB EL-ARINI  
PRIMARY EXAMINER**